

# AMERICAN BLACK WALNUT

Pale to dark chocolate brown. Black Walnut is a finely grained timber, often with attractive swirls and wave patterning. Sapwood is distinctive pale colour.

## Applications: Joinery - Cabinetry - Furniture

Origin	North American
Botanical Name	Juglans nigra
Density (Dry)	615kg/m <sup>3</sup>
Above Ground Durability	Moderate - Class 3
In Ground Durability	Moderate - Class 3
Hardness	Soft - Janka 4.5
Sustainability	FSC can be available
Machining	Good
Gluing	Good
Unit Movement Tangential	0.27%
In Service Movement	Low
Termite Resistance	Not Resistant
Sapwood Lyctid Susceptibility	Susceptible
Length Range	Usually random lengths
Fire Resistance	Group 3
Bushfire Attack Level	Not Rated

