

# AUS\_TIM

SUSTAINABLE TIMBER SOLUTIONS



The mark of  
responsible forestry

FSC® certified material  
available.



## Retail Price List

Effective 1st March 2025, Ver RET.1.20.1

### Perth's Leading Supplier of Quality Decorative Timbers

Trading Hours

Monday to Friday 7.30am to 4.00pm

252 Gnangara Road Landsdale WA 6065

p: 6558 1266

e: [sales@austim.com.au](mailto:sales@austim.com.au)

w: [austim.com.au](http://austim.com.au)

## PRICE LIST INDEX

PRODUCT	PAGE No.
ACCOYA & TRICOYA	3.
VIC ASH SELECT	4.
VIC ASH STANDARD	5.
VIC ASH LAMINATED & OTHER	6.
AMERICAN WHITE OAK	7.
GLACIAL OAK	8.
AMERICAN BLACK WALNUT	9.
WESTERN RED CEDAR	10.
OREGON (DOUGLAS FIR)	11.
MERBAU SOLID	12.
MERBAU LAMINATED	13.
JARRAH SKIP DRESSED	14.
EASTERN STATES BLACKBUTT	15.
SPOTTED GUM	16.
BURMESE TEAK	17.
PLYWOOD	18.
WEATHERTEX	19.
TIMBER DECKING	20.
TREX DECKING	21.
NEWTECHWOOD DECKING	22.
NEWTECHWOOD CLADDING	23.
NEWTECHWOOD PROFILE DRAWINGS	24.
NEWTECHWOOD PROFILE DRAWINGS	25.
MILLBOARD	26.
EVA-LAST DECKING & CLADDING	27.
EVA-LAST CLADDING PROFILE DRAWINGS	28.
MODWOOD	29.
SCREENING	30.
STRUCTURAL TREATED PINE	31.
PRE PRIMED PINE/DESIGN PINE	32.
VULCAN PROFILES	33.
CLADDING & LINING	34.
LVL & I-JOISTS	35.
BUSH POLES & KAPUR BEAMS	36.
CONCRETE, STIRRUPS & BRACKETS	37.
SPECIALTY TIMBER COATINGS	38.
FIXINGS	39.
FIXINGS	40.
STAIR TREADS	41.
RECYCLED TIMBERS	42.
MACHINING & OTHER SERVICES	43.
IMPORTANT INFORMATION	44.
SITE DELIVERY	45.

## ACCOYA & TRICOYA

### LOOSE PIECE RATE

SIZE	PRICE LM (EX GST)			
A1 150X23	24.00			
A1 200X23	34.00			
A1 150X38	48.00			
A1 200X38	67.00			
A1 150X50	66.00			
A1 200X50	92.00			
A1 200X75	148.00			
140X19 DECKING	28.00			
190X19 DECKING	38.00			
140X19 CLADDING (120mm cover)	28.00			
190X19 CLADDING (170mm cover)	38.00			
140X21 GREY DECKING	43.00			
140X28 GREY DECKING	53.00			
140X19 GREY CLADDING (120mm cover)	43.00			
SIZE	PRICE SHT (EX GST)			
2440X1220X6MM	220.00			
2440X1220X12MM	408.00			
2440X1220X15MM	495.00			
2440X1220X18MM	545.00			
3050X1220X6MM	275.00			
3050X1220X18MM	680.00			

#### NOTES :

Decking and Cladding orders below 200lm may incur a \$150+gst machine set up fee  
 50 year warranty in above ground applications  
 All Accoya comes with FSC® chain of custody certification  
 Other grades and sizes available upon request  
 See Accoya website for information on grade inclusions



## AUSTRALIAN OAK SELECT GRADE

### LOOSE PIECE RATE

SIZE	PRICE LM (INC GST)			
75X25#	10.78			
100X25#	14.96			
125X25	19.25			
150X25	25.85			
200X25*	50.82			
75X38#	16.28			
100X38#	24.20			
125X38	31.79			
150X38	42.02			
200X38	62.15			
75X50	28.05			
100X50	37.51			
125X50	46.75			
150X50	65.34			
200X50	112.53			

#### NOTES :

Aust Oak include eucalyptus delegatensis, regnans & obliqua  
Packs available as PEFC Certified, ask our sales team for details.  
Allow sufficient machining tolerances  
(ie, width 8-10mm & thickness 6-8mm)  
Straight Line Gauged, 0.9 to 5.4m, sold in 100mm increments  
Packs random length approx 1.5m3  
Packs can be supplied dressed for a small surcharge  
\*\* Non-stock item, available to order ex-mill  
\* Limited availability  
# Not in loose racks, sold in lineal metre quantity only



**AUSTRALIAN OAK DRESSED STANDARD GRADE**  
**LOOSE PIECE RATE**

SIZE	PRICE LM (INC GST)			
42X19	6.60			
65X19	9.57			
90X19	13.20			
110X19	16.28			
135X19	22.55			
190X19	38.94			
65X32	13.75			
90X32	18.48			
110X32	22.88			
135X32	36.85			
185X32	51.26			
42X42	12.54			
65X42	17.93			
90X42	26.18			
110X42	35.42			
135X42	50.05			
185X42	82.39			

**NOTES :**

Aust Oak include eucalyptus delegatensis, regnans & obliqua  
Packs available as PEFC Certified, ask our sales team for details.  
Dressed All Round, 0.9 to 5.4m  
Sold in 100mm increments



## AUSTRALIAN OAK LAMINATED AND OTHER

SIZE	PRICE LM (INC GST)			
<b><u>SELECT GRADE SOLID &amp; LAMINATED</u></b>				
90X90 (3 Lam)	100.87	0.9-5.4m Lengths		
240X33 (2 Lam) - DISCONTINUE	66.00	0.9-5.4m Lengths		
240x43 (2 Lam) - DISCONTINUE	88.00	0.9-5.4m Lengths		
285X33 (3 Lam)	102.63	0.9-5.4m Lengths		
285X43 (3 Lam)	149.82	0.9-5.4m Lengths		
<b><u>SELECT GRADE FJ &amp; LAMINATED</u></b>				
356X33 (5 Lam) - DISCONTINUE	71.50	3.6m Lengths		
<b><u>SELECT GRADE HANDRAIL</u></b>				
45mm Dia - DISCONTINUE	54.78	1.2-4.2m		
see Glacial Oak				
<b><u>UTILITY GRADE BENCHTOPS FJ &amp; LAMINATED</u></b>				
900X33	275.00	2.4m - 48kg		
600X33	202.40	2.4m - 34kg		
<b><u>STANDARD GRADE BENCHTOPS FJ &amp; LAMINATED</u></b>				
960X33	524.70	2.4m - 53kg		
960X33	788.70	3.6m - 79kg		
600X33	335.50	2.4m - 34kg		
600X33	506.00	3.6m - 51kg		
<b><u>IRONASH</u></b>				
42X32	12.10	5.4m		
65X32	16.50	5.4m		
90X32	22.00	5.4m		
65X19	11.55	5.4m		
105X19 Cladding (105mm cover)	17.60	Random		
<b><u>OTHER ITEMS</u></b>				
110X12 Lining Board Select	15.40	Random		

### NOTES :

Aust Oak include eucalyptus delegatensis, regnans & obliqua  
Packs available as PEFC Certified, ask our sales team for details.  
These products are laminated and dressed  
Packs approx 1.5m3  
\* Plus \$150 + GST machine set up fee  
Benchtops cannot be delivered, they are a pick-up item only



## AMERICAN WHITE OAK SAWN

## LOOSE PIECE RATE

## LOOSE PIECE RATE

SIZE	PRICE LM (INC GST)		SIZE	PRICE LM (INC GST)
100X25	16.50		100X50	49.28
			125X50	61.60
150X25	26.40		150X50	73.92
			175X50	86.13
200X25	42.35		200X50	98.45
			225X50	110.77
			250X50	123.09
100X38	32.23		275X50	135.41
125X38	40.26		300X50	147.73
150X38	48.29			
175X38	56.32			
200X38	64.35			
225X38	72.38			
250X38	80.52			
275X38	88.55			
300X38	96.58			

[illegible]

NOTES :

Our packs are graded to FAS 1F, this is the highest grade produced under North American National Hardwood Lumber Association (NHLA) grading guidelines.

Loose piece stock is graded to a higher "Austim in house grade"

If unfamiliar with "grade inclusions" please ask for information or see our website.

Allow sufficient machining tolerances (ie, width 25mm & thickness 10mm)

Availability of specific sizes and lengths cannot be guaranteed.

Typical length range 0.9 to 4.2m in 100mm increments.

## GLACIAL OAK

## LOOSE PIECE RATE

SIZE	PRICE LM (INC GST)			
150X25	22.88			
200X25	32.78			
150X38	39.27			
200X38	60.28			
100X50	30.25			
150X50	56.65			
200X50	79.20			
250X50	96.80			
300X50	113.30			
240X33 (Supalam f/j)	77.00	5.7m		
240X43 (Supalam f/j)	110.00	5.7m		
285X33 Laminated	93.50	0.9-3.6m Lengths		
285X33 (Supalam f/j)	88.00	5.7m		
285X43 Laminated	121.00	0.9-3.6m Lengths		
285X43 (Supalam f/j)	115.50	5.7m		
290X68 Laminated	216.04	1.2m Lengths		

SIZE	PRICE LM (INC GST)	
<b><u>SELECT GRADE SOLID &amp; LAMINATED</u></b>		
110x12 VJ Lining	17.05	random lengths
110x12 Shiplap Lining	17.05	random lengths
81x19 Castellated 2 Batten	17.05	random lengths
81x19 Castellated 3 Batten	17.05	random lengths
50x42 Handrail f/j	42.90	5.7m
190X19	33.55	typical 0.9-3.6m Lengths
<b><u>SELECT GRADE BENCHTOPS FJ &amp; LAMINATED</u></b>		
Price each inc gst		
600X26 - 1.2m	165.00	1.2m - 14kg
600X26 - 2.2m	264.00	2.2m - 26kg
600X33 - 2.4m	438.90	2.4m - 36kg
600X33 - 3.6m	627.00	3.6m - 54kg
960X33 - 2.4m	687.50	2.4m - 57kg
960X33 - 3.6m	990.00	3.6m - 85kg

## NOTES :

Botanical Name is Quercus rubra

Easily interchangeable for American White Oak. It is not as olive-brown in colour as traditional white oak, nor is it pink in colour like more typical American Red Oak. It is more blonde in appearance, closer to that of typical Engineered Oak flooring.

Benchtops cannot be delivered, they are a pick-up item only



## AMERICAN BLACK WALNUT SAWN

### LOOSE PIECE RATE

### LOOSE PIECE RATE

SIZE	PRICE LM (INC GST)		SIZE	PRICE LM (INC GST)
100X25	26.73		100X50	60.50
125X25	33.33		125X50	75.68
150X25	40.04		150X50	90.75
175X25	46.64		175X50	105.82
200X25	53.35		200X50	121.00
225X25	60.06		225X50	136.07
250X25	66.66		250X50	151.25
275X25	73.37		275X50	166.32
300X25	79.97		300X50	181.50
100X38	43.89			
125X38	54.89			
150X38	65.89			
175X38	76.78			
200X38	87.78			
225X38	98.78			
250X38	109.78			
275X38	120.78			
300X38	131.67			


#### NOTES :

Our packs are graded to FAS 1F (Walnut Rules), this is the highest grade produced under North American National Hardwood Lumber Association (NHLA) grading guidelines.

Loose piece stock is graded to a higher "Austim in house grade"

If unfamiliar with "grade inclusions" please ask for information.

Wasteage allowances of 25% may be necessary when buying Walnut.

Beware Walnut's sapwood is very different in colour to heartwood.

Allow sufficient machining tolerances (ie, width 25mm & thickness 10mm)

Availability of specific sizes and lengths cannot be guaranteed.

Typical length range 0.9 to 3.6m in 100mm increments.

## WESTERN RED CEDAR

## LOOSE PIECE RATE

## LOOSE PIECE RATE

[illegible]

NOTES :

Cedar is graded to No.2 Clear & Better as per PLIB Export R List Rules (Para 401.)

If unfamiliar with "grade inclusions" please ask for information.

Allow sufficient machining tolerances (ie, width 25mm & thickness 10mm)

Sizes are subject to availability

Availability of specific sizes and lengths cannot be guaranteed.

Typical loose length range 1.8 to 6.0m in 100mm increments.

## OREGON SAWN (DOUGLAS FIR)

## LOOSE PIECE RATE

[illegible]

NOTES :

50mm Oregon is graded to No.2 Clear & Better as per PLIB Export R List Rules (Para 58 & 59.)

If unfamiliar with "grade inclusions" please ask for information.

Allow sufficient machining tolerances (ie, width 25mm & thickness 10mm)

Availability of specific sizes and lengths cannot be guaranteed.

Typical loose length range 1.8 to 6.0m in 100mm increments.

## MERBAU DRESSED SOLID SELECT GRADE

### LOOSE PIECE RATE

	LENGTH	PRICE LM (INC GST)			
42X19	2.4, 3.0, 3.6	5.28			
42X32	2.4, 3.0, 3.6	8.80			
70X32	2.4, 3.0, 3.6	15.40			
90X32	2.4, 3.0, 3.6	20.35			
42X42	3.6	11.55			
70X42	3.6	20.35			
90X42	3.6	26.62			
150X25	Random 1.8-5.7	25.63			
200X25	Random 1.8-5.7	34.98			
100X38	Random 1.8-5.7	23.32			
150X38	Random 1.8-5.7	39.05			
200X38	Random 1.8-5.7	52.25			
100X47	Random 1.8-5.7	31.24			
125X47	Random 1.8-5.7	40.70			
150X47	Random 1.8-5.7	49.50			
200X47	Random 1.8-5.7	67.10			
290X45	Random 1.8-5.7	103.40			
Discontinued item					
190X42	Random 1.8-5.7	56.32			

#### NOTES :

All Merbau has pencil round corners.

Merbau will bleed a red/brown coloured tannin which can stain adjacent surfaces.

It should be coated with a minimum two coats of a good quality timber coating before being exposed to rain.

Like all timber in exposed situations regular maintenance should be kept up.

Also available in the Magna Merbau range is Laminated GL13/GL18 Posts and Beams and also decking.



## MERBAU LAMINATED PRODUCTS

PRODUCT	GRADE	FINISH	SIZE	LENGTH RANGE	PRICE LM (INC GST)
POST	GL17 - LAMINATED	DRESSED	95X95	2.4, 3.0, 3.6, 4.8, 6.0	61.60
POST	GL17 - LAMINATED	DRESSED	120X120	2.4, 3.0, 3.6, 6.0	94.60
POST	GL13 - LAMINATED	DRESSED	140X140	2.4, 3.0, 3.6, 6.0	133.10
POST	GL13 - LAMINATED	DRESSED	190X190	2.4, 3.0, 3.6, 6.0	258.50
BATTEN - DISCONTINUE	GL17 - LAMINATED	DRESSED	42X32	3.0, 6.0	9.68
BATTEN - DISCONTINUE	GL17 - LAMINATED	DRESSED	70X32	3.0, 6.0	16.50
BEAM - DISCONTINUE	GL17 - LAMINATED	DRESSED	70X42	3.0, 6.0	22.00
BEAM	GL17 - LAMINATED	DRESSED	90X42	2.4, 3.0, 4.8, 6.0	28.05
BEAM	GL17 - LAMINATED	DRESSED	120X42	3.6, 4.8, 6.0	37.18
BEAM	GL17 - LAMINATED	DRESSED	140X42	3.6, 4.8, 6.0	44.00
BEAM	GL17 - LAMINATED	DRESSED	190X42	3.6, 4.8, 6.0, 7.2	62.70
BEAM	GL17 - LAMINATED	DRESSED	240X42	3.6, 4.8, 6.0, 7.2	80.08
BEAM	GL17 - LAMINATED	DRESSED	290X42	3.6, 4.8, 6.0, 7.2	96.80
BEAM	GL17 - LAMINATED	DRESSED	190X65	4.8, 6.0, 7.2	97.35
BEAM	GL17 - LAMINATED	DRESSED	240X65	4.8, 6.0, 7.2	124.30
BEAM	GL17 - LAMINATED	DRESSED	265X65	4.8, 6.0, 7.2	139.70
BEAM	GL17 - LAMINATED	DRESSED	290X65	4.8, 6.0, 7.2	154.00
BEAM	GL17 - LAMINATED	DRESSED	330X65	6.0, 7.8	190.30
BEAM	GL17 - LAMINATED	DRESSED	290X80	4.8, 6.0, 7.8	193.60
BEAM	GL17 - LAMINATED	DRESSED	330X80	6.0, 7.8	231.00

### NOTES :

Laminated products are produced by ETH Enterprises in accordance with the Glue Laminated Timber Association of Australia (GLTAA) Standards and comply with AS 1328-1987  
 15 year product warranty  
 Span Tables available at [austim.com.au](http://austim.com.au) or [magnaglum.com.au](http://magnaglum.com.au)  
 Merbau will bleed a red/brown coloured tannin which can stain adjacent surfaces.  
 It should be coated with a minimum two coats of a good quality timber coating before being exposed to rain.  
 Like all timber in exposed situations regular maintenance should be kept up.



## LOOSE PIECE RATE

[illegible]

If unfamiliar with "grade inclusions" please ask for information.

Allow sufficient machining tolerances (ie, width 25mm & thickness 10mm)

## EASTERN STATES BLACKBUTT SELECT

[illegible]

NOTES :

**Grade permits checking, gum vein, pin hole and knots as per AS2796.2:2006**

If unfamiliar with "grade inclusions" please ask for information.

Our Blackbutt is usually skip dressed but may be sawn depending upon supply source.

Allow sufficient machining tolerances (ie, width 25mm & thickness 10mm)

Availability of specific sizes and lengths cannot be guaranteed.

Typical length range 0.9 to 4.8m in 100mm increments.

## SPOTTED GUM SELECT

## LOOSE PIECE RATE

[illegible]

NOTES :

Grade permits checking, gum vein, pin hole and knots as per AS2796.2:2006

If unfamiliar with "grade inclusions" please ask for information.

**Beware Spotted Gum is difficult to glue and prone to movement.**

Our Spotted Gum is usually skip dressed but may be sawn depending upon supply source.

Allow sufficient machining tolerances (ie, width 25mm & thickness 10mm)

Availability of specific sizes and lengths cannot be guaranteed.

Typical length range 0.9 to 4.8m in 100mm increments.



**BURMESE TEAK** (BEING DIS-CONTINUED VERY LIMITED STOCK REMAINS)

## LOOSE PIECE RATE

[illegible]

NOTES :

Sold in 100mm length increments.

Allow sufficient machining tolerances (ie, width 15mm & thickness 6-8mm)

**AUS\_TIM**  
SUSTAINABLE TIMBER SOLUTIONS

NOTES :

Austral Plywood is Australian Manufactured in Australian and is PEFC Certified

\*\* These items are not stocked, leadtime and minimum order will apply

H2 can be used above the Tropic of Capricorn (as opposed to H2S)

Hardwood provides superior durability, stability with excellent impact resistance and nail holding strength. Structural products are not intended for use in decorative applications. Colour and grain pattern and other allowable characteristics will vary from piece to piece.

When ordering for Pick-Up please specify if you want the sheets left loose for easy handling or strapped together as a mini pack.

24/02/2025 Ver RET1.20.1  
Page 18

e: [sales@austim.com.au](mailto:sales@austim.com.au)  
w: [www.austim.com.au](http://www.austim.com.au)  
p: 6558 1266



**WEATHERTEX**[illegible]

NOTES :

Australian Manufactured product.

100% natural made up of 97% wood and 3% parafin wax

Termite resistant



## DECKING TIMBER - JOB LOTS

DECKING PRODUCT	GRADE	FINISH	SIZE	LENGTH RANGE	PRICE LM (INC GST)	INDICATIVE PRICE SQM (INC GST)
MAGNA MERBAU <u>PRE-OILED</u>	SELECT	SMOOTH	90X19	RANDOM 1.8-5.7	7.92	83.00
MAGNA MERBAU <u>PRE-OILED</u>	SELECT	SMOOTH	90X19	SET LENGTHS (ENQUIRE)	9.35	98.00
MAGNA MERBAU <u>PRE-OILED</u>	SELECT	SMOOTH	140X19	RANDOM 1.8-5.7	12.54	86.00
MAGNA MERBAU <u>PRE-OILED</u>	SELECT	SMOOTH	140X19	SET LENGTHS (ENQUIRE)	14.74	101.00
MAGNA MERBAU	SELECT	SMOOTH	140X21	RANDOM 1.8-5.7	16.50	113.00
JARRAH	STD & BETTER	SMOOTH	85X20	RANDOM 1.5-3.0	12.10	134.00
JARRAH	STD & BETTER	SMOOTH	130X20	RANDOM 1.5-4.2	19.80	146.00
JARRAH	STD & BETTER	SMOOTH	135X32	RANDOM 1.8-5.4	21.12	151.00
FIJI MAHOGANY	PREMIUM	SMOOTH	140X21	RANDOM 1.8-5.7	18.70	128.00
SPOTTED GUM (QLD)	STD & BETTER	SMOOTH	86X19	RANDOM 1.8-4.5	13.20	147.00
SPOTTED GUM (QLD)	STD & BETTER	SMOOTH	135X19	RANDOM 1.8-4.5	24.20	172.00

### NOTES :

We strongly recommend decking be given at least one coating on all four sides prior to installation.

Regular maintenance is necessary to keep a timber deck in good condition.

Merbau will bleed a red/brown coloured tannin which can stain adjacent surfaces.

Most other hardwoods also tannin stain to some lesser extent.

To minimise tannin leach it should be coated with a min two coats of a good quality timber oil before being exposed to rain/water.

**All decking can be Intergrain Uni Oil pre-coated in our factory, narrow boards add \$1.15/lm, wide boards add \$1.55/lm (excl gst).**

**Minimum charge "Set-Up Fee of \$150.00" may apply for small quantities (below 300 LM) of coating.**

**Note when pre-coating to order we may require up to 10 working days to allow for coating.**

Fiji Mahogany has been treated to increase durability, offcuts should not be burned. Please ask for more information.

Approx 50 screws per sqm for 90mm wide decking

Approx 30 screws per sqm for 140mm wide decking

Decking prices can move regularly, please check with our office to ensure you are using an up to date price list.



Our Merbau decking is FSC Certified.

**TREX DECKING \*\*now with 50 yr residential warranty\*\***


PRODUCT	DETAILS	EDGE TYPE	SIZE	LENGTH RANGE	PRICE EA (INC GST)	INDICATIVE PRICE SQM (INC GST)
TREX - TRANSCEND		GROOVED OR SOLID EDGE	140X25	5.48M	184.80	231.00
Colours : Spiced Rum, Tiki Torch, Island Mist, Havana Gold, Lava Rock						
TREX - FASCIA (DISCONTINUED)			184X14	3.6M	154.00	
Colours : Spiced Rum, Tiki Torch, Island Mist, Havana Gold, Lava Rock						
TREX - TRANSCEND LINEAGE		GROOVED OR SOLID EDGE	140X25	5.48M	184.80	231.00
Colours : Biscayne, Rainier, Jasper, Carmel						
(P5 Slip Rating)						
TREX - CONNECTOR CLIP FOR TIMBER		900 pcs	BUCKET	45 SQM	544.50	12.10
TREX - CONNECTOR CLIP FOR TIMBER		90 pcs	BOX	5 SQM	68.20	
TREX - STARTER CLIP FOR TIMBER		36 pcs	BAG	40 SQM	71.50	
TREX - KLEVA CLIP STRIP KT140N		40 pcs	BOX	10 SQM	203.50	20.35
TREX - CONNECTOR CLIP FOR METAL		900 pcs	BUCKET	45 SQM	863.50	19.20
TREX - CONNECTOR CLIP FOR METAL		90 pcs	BOX	5 SQM	99.00	
TREX - STARTER CLIP FOR METAL - DISCONTINUED		36 pcs	BAG	40 SQM	99.00	
TREX - ROUTER BIT					104.50	
TREX - PRO PLUG 350 PCS	PLUGS ONLY	TRANSCEND COLOURS			137.50	
TREX - DEPTH SETTER					42.90	
CAP-TOR 316SS SCREWS 10g X 65mm	SUIT TIMBER JOISTS	TRANSCEND COLOURS	100PCS		93.50	
CAP-TOR 410SS SCREWS 10g X 40	SUIT METAL JOISTS	TRANSCEND COLOURS	100PCS		88.00	

**NOTES :**

Whilst Trex is a manufactured product variation in grain and colour should be expected. When installing it is recommended that boards be mixed up not just taken from the top of the bundle this is particularly important when more than one pack is being used on a job.

Similarly there will be some variation in board width, care should be taken and allowances made if working to tight tolerances.

Always follow manufacturers installation instructions available online.



PRODUCT	DETAILS	EDGE TYPE	SIZE	LENGTH RANGE	PRICE EA (INC GST)	INDICATIVE PRICE SQM (INC GST)
<b>Avenue - Decking Scalloped US92</b>	450mm Joist Centres	Grooved Edge	138X29	4.88M	80.30	115.00
<b>Avenue - Decking Scalloped US93</b>	450mm Joist Centres	Square Edge	138X29	4.88M	101.20	
Colours available ; Antique, Teak, Walnut						
<b>Fascia - US06</b>		Square Edge	138X15	5.4M	92.40	
Colours available ; Antique, Blackbutt, Ipe, Silver Grey, Teak						
<b>Terrace - Decking Solid US49</b>	450mm Joist Centres	Grooved Edge	138X25	5.4M	117.70	152.00
<b>Terrace - Decking Solid US63</b>	450mm Joist Centres	Perimter Board	138X25	5.4M	123.20	
Colours available ; Antique, Blackbutt, Ipe, Silver Grey, Teak						
<b>Coastal - Decking Solid US54</b>	400mm Joist Centres	Grooved Edge	210X23	4.88M	171.60	164.00
<b>Coastal - Decking Solid US33</b>	400mm Joist Centres	Perimeter Board	138X23	4.88M	132.00	
Colours available ; Beech, Antique, Aged Wood, Teak						
<b>Commercial - Decking Solid US49H</b>	450mm Joist Centres	Grooved Edge	138X25	5.4M	126.50	164.00
<b>Commercial - Decking Solid US63H</b>	450mm Joist Centres	Perimeter Board	138X25	5.4M	126.50	
Colours available ; Antique, Blackbutt, Ipe						
<b>Cobra Locking Clip &amp; Screw 5.5mm</b>	Timber and Metal Fix	Stainless Steel	250PCS	14.7 SQM	158.40	10.80
<b>Cobra Locking Clip &amp; Screw 5.5mm</b>	Timber and Metal Fix	Stainless Steel	75PCS	4.4 SQM	52.80	
<b>MG1 Mini-Gap Clip &amp; Screw 1.5mm</b>	Timber or Metal Fix	Stainless Steel	75PCS	4.0 SQM	84.70	
<b>MG2 Mini-Gap Locking Clip &amp; Screw 1.5mm</b>	Timber or Metal Fix	Stainless Steel	25PCS	6.0 SQM	34.10	
<b>MG3 Starter Clip &amp; Screw</b>	Timber or Metal Fix	Stainless Steel	25PCS		27.50	
<b>K37 Start/Stop Clip &amp; Screw</b>	Timber or Metal Fix	Stainless Steel	25PCS		22.00	
<b>Screws : Antique, Grey, Brown, Teak, Beech</b>	Timber Fix 10G X 65mm	Stainless Steel 304	100PCS		49.50	
<b>Nivo Adjustable Decking Pedestal</b>	NDP25	25-40mm	EACH		6.93	
<b>Nivo Adjustable Decking Pedestal</b>	NDP40	40-60mm	EACH		7.48	
<b>Nivo Adjustable Decking Pedestal</b>	NDP50	50-80mm	EACH		9.46	
<b>Nivo Adjustable Decking Pedestal</b>	NDP80	80-140mm	EACH		10.78	
<b>Nivo Adjustable Decking Pedestal</b>	NDP140	140-230mm	EACH		16.50	
<b>Nivo Height Extension</b>	NDP60HE	60mm	EACH		3.85	
<b>Nivo Slope Corrector 2-5%</b>	NPSC		EACH		6.60	

## NOTES :

Whilst NewTechWood is a manufactured product variation in grain and colour should be expected. When installing it is recommended that boards be mixed up not just taken from the top of the bundle this is particularly important when more than one pack is being used on a job.

Similarly there will be some variation in board width, care should be taken and allowances made if working to tight tolerances.


Board width may vary +/- 2 to 3mm

Always follow manufacturers installation guide.

Note : Joist centres refer to residential applications only.

Note : Clip coverage is approximate only and will vary from deck to deck depending on configuration and joist spacings.

Important installation instructions are available online at [www.newtechwood.com.au](http://www.newtechwood.com.au)



PRODUCT	DETAILS	SIZE	LENGTH RANGE	PRICE EA (INC GST)	INDICATIVE PRICE SQM (INC GST)
Hollow Screening - <b>Batten UH55</b>	Span 1200mm	56x30	5.4m	55.00	
Ipe, Canadian Cedar, Ebony					
Batten End Caps for UH55			20 pcs	28.60	
Cladding Board - <b>Shadowline US31</b>		142X13	4.88M	83.60	132.00
Teak, Ipe, Blackbutt, Sea Salt, Ebony (Shou Sugi Ban)		(130mm cover)			
F-Trim Base - AA44SC				27.50	
F-Trim Cover - CA48SC for Shadowline				71.50	
H-Trim Base - AA45SC				27.50	
H-Trim Cover - CA49SC for Shadowline				44.00	
Outside Corner Trim Base - AA47SC				33.00	
Outside Corner Trim Cover - CA51SC for Shadowline				75.90	
Inside Corner Trim Base - AA46SC				60.50	
Inside Corner Trim Cover - CA50SC for Shadowline				62.70	
J-Trim Perforated - CA42SC for Shadowline				62.70	
Z Flashing - CA41 for Shadowline or Castellations				82.50	
Rubber Stand Off T-7 to suit Shadowline		50PCS		16.50	
Cladding Board - <b>Castellation 5-Rib UH61</b>	500mm fixing centres	196x25	5.4M	149.60	149.00
Ipe, Canadian Cedar, Ebony		(186mm cover)			
Cladding Board - <b>Castellation 3-Rib UH58</b>	500mm fixing centres	196x25	5.4M	149.60	149.00
Aged Wood, Blackbutt, Teak, Ebony (Shou Sugi Ban)		(186mm cover)			
F-Trim Base - AA44CC				27.50	
F-Trim Cover - CA63CC for Castellations				85.80	
H-Trim Base - AA60CC				35.20	
H-Trim Cover - CA49CC for Castellations				44.00	
Outside Corner Trim Base - AA62CC				46.20	
Outside Corner Trim Cover- CA51CC for Castellations				75.90	
Inside Corner Trim Base - AA61CC				73.70	
Inside Corner Trim Cover - CA50CC for Castellations				62.70	
J-Trim Perforated - CA43CC for Castellations				90.20	
Z Flashing - CA41 for Castellations or Shadowline				82.50	
Cladding Clips AW08 : to suit US31 & UH61	Aluminium	250PCS	15 SQM	121.00	8.07
Cladding Clips AW08-50 : to suit US31 & UH61	Aluminium	50PCS	3 SQM	33.00	
Screws WJ063 : Expansion Locking to suit AW08	4Gx12mm SS304	100PCS		16.50	
Screws 56PB0830: Fixing to Timber suit AW08 and Trims	8Gx30mm - Pan Head SS304	200PCS		27.50	
Screws 23GPB0820: Fixing to Metal suit AW08 and Trims	8Gx20mm - Pan Head C3	250PCS		27.50	

**NOTES :**






Whilst NewTechWood is a manufactured product variation in grain and colour should be expected. When installing it is recommended that boards be mixed up not just taken from the top of the bundle this is particularly important when more than one pack is being used on a job.













Similarly there will be some variation in board width, care should be taken and allowances made if working to tight tolerances.

Always follow manufacturers installation guide.













Note : Clip coverage is approximate only and will vary from deck to deck depending on configuration and joist spacings.

Important installation instructions are available online at [www.newtechwood.com.au](http://www.newtechwood.com.au)



	Item	End Trim	Inside Cnr Trim	Outside Cnr Trim	Butt Joist Trim
Trims to Suit Cladding Board 13mm Thickness	Cover				
	Code	CA48-Colour	CA50-Colour	CA51-Colour	CA49-Colour
	Base				
	Code	AA44-MF	AA46-MF	AA47-MF	AA45-MF
	Assembly				

Colour Key : AW=Aged Wood BB=Blackbutt CC=Canadian Cedar EB=Ebony IP=Ipe TE=Teak EBC=Ebony Charred SS=Sea Salt MF=Mill Finish






		End Trim	Inside Cnr Trim	Outside Cnr Trim	Butt Joist Trim
Trims to suit Castellated 25mm Thickness	Cover				
	Code	CA63-Colour	CA50-Colour	CA51-Colour	CA49-Colour
	Base				
	Code	AA44-MF	AA61-MF	AA62-MF	AA60-MF
	Assembly				



Flashing	J-Trim Perforated suit Shadowline	J-Trim non-perforated suit Shadowline	J-Trim Perforated suit Castellation	J-Trim non-perforated suit Castellation
CA41-Colour	CA42-Colour	CA42B-Colour	CA43-Colour	CA43B-Colour

Description	End Trim	Outside Corner Trim	Inside Corner Trim	Butt Joist Trim
Where to use	Outermost Edge	Outside Corner	Inside Corner	Butt Joint Installation
Picture				

Name	Flashing	J-Trim Perforated (For 13mm Board)	J-Trim Perforated (For 25mm Board)	J-Trim non-perforated (For both 13mm&25mm)
Where to use	<ul style="list-style-type: none"> <li>Window Head</li> <li>Window Sill</li> <li>Butt Joint</li> </ul>	Bottom of the Cladding panel	Bottom of the Cladding panel	Edging for Cladding
Picture				



## MILLBOARD DECKING & CLADDING

PRODUCT			SIZE MM	LENGTH	PRICE EA (INC GST)	INDICATIVE PRICE SQM (INC GST)
MILLBOARD ENHANCED GRAIN		(Coppered, Golden, Smoked, Limed, Jarrah, Basalt)	176X32	3.6M	215.60	333.00
MILLBOARD ENHANCED GRAIN		(Burnt Cedar, Antique Oak, Ashwood, Ebony Grey)	176X32	3.6M	227.70	351.00
MILLBOARD ENHANCED GRAIN	NARROW	(Coppered, Golden, Smoked, Limed, Basalt)	126X32	3.6M	198.00	423.00
MILLBOARD ENHANCED GRAIN	NARROW	(Burnt Cedar, Antique Oak, Ashwood, Ebony Grey)	126X32	3.6M	211.20	451.00
MILLBOARD WEATHERED OAK		(Driftwood, Vintage)	200X32	3.6M	257.40	350.00
MILLBOARD WEATHERED OAK		(Emberred)	200X32	3.6M	269.50	367.00
FASCIA - ENHANCED GRAIN		(Coppered, Golden, Smoked, Limed, Jarrah, Basalt, Vintage, Bnt Cedar, Antique, Ashwood, Ebony Grey)	146X16	3.6M	193.60	
WIDE BULLNOSE - ENHANCED GRAIN		(Coppered, Golden, Smoked, Limed, Jarrah, Basalt, Vintage, Bnt Cedar, Antique, Ashwood, Ebony Grey)	150X32	3.6M	242.00	
SQR EDGE FLEXIBLE - ENHANCED GRAIN		(Coppered, Golden, Smoked, Limed, Jarrah, Basalt, Vintage, Bnt Cedar, Antique)	50X33	2.4M	192.50	
B/NOSE EDGE FLEXIBLE - ENHANCED GRAIN		(Coppered, Golden, Smoked, Limed, Jarrah, Basalt, Vintage, Bnt Cedar, Antique)	50X33	2.4M	192.50	
DURAFIX TRIM HEAD 316 SS SCREWS			4.5X60	250 PCS	132.00	10.50
DURAFIX TRIM HEAD 316 SS SCREWS			4.5X45	250 PCS	110.00	
DURAFIX TRIM HEAD 316 SS SCREWS			4.5X35	100 PCS	41.80	
DURAFIX TRIM HEAD 316 SS SCREWS			3.5X30	250 PCS	38.50	
DURAFIX TRIM HEAD 316 SS SCREWS			3.5X20	250 PCS	35.20	
TOUCH UP PAINTS			500ml		60.50	
ENVELLO SHADOWLINE CLADDING		(Smoked, Coppered, Golden, Limed, Sage, Salt, Anthracite)	200X18	3.6M	218.90	336.00
ENVELLO SHADOWLINE CLADDING		(Antique Oak, Burnt Cedar)	200X18	3.6M	232.10	356.00
SHADOWLINE EXTERNAL CORNER		(Smoked, Coppered, Golden, Limed, Sage, Salt, Anthracite)	50X50	3.05M	294.80	
SHADOWLINE EXTERNAL CORNER		(Antique Oak, Burnt Cedar)	50X50	3.05M	308.00	
SHADOWLINE INTERNAL CORNER		(Smoked, Coppered, Golden, Limed, Sage, Salt, Anthracite)	38X38	3.05M	229.90	
SHADOWLINE INTERNAL CORNER		(Antique Oak, Burnt Cedar)	38X38	3.05M	245.30	
ENVELLO BOARD & BATTEN CLADDING		(Smoked, Coppered, Golden, Jarrah, Limed, Anthracite)	200X26	3.6M	267.30	410.00
ENVELLO BOARD & BATTEN CLADDING		(Antique Oak, Burnt Cedar)	200X26	3.6M	253.00	388.00
BATTEN SQUARE CORNER		(Antique Oak, Smoked Oak, Golden Oak, Burnt Cedar)	50X50	3.05M	341.00	
BATTEN SQUARE CORNER		(Antique Oak, Burnt Cedar)	50X50	3.05M	356.40	
REVEAL BOARD		(Smoked, Coppered, Golden, Jarrah, Limed, Sage, Salt, Anthracite)	146X16	3.6M	191.40	
REVEAL BOARD		(Antique Oak, Burnt Cedar)	146X16	3.6M	206.80	
EMVELLO COLOUR HEAD SCREWS		(Antique, Burnt Cedar, Smoked, Coppered, Golden, Jarrah, Limed, Sage, Salt, Anthracite)	100 PCS	40MM	209.00	
HORIZONTAL STARTER J-PROFILE TRIM		Aluminium	25X10	2.5M	40.70	
VERTICAL STARTER L-PROFILE TRIM		Aluminium	25X13	2.5M	27.50	
PERFORATED CLOSURE		Aluminium	25X50	3.0M	60.50	

### NOTES :

Whilst Millboard is a manufactured product variation in grain and colour should be expected.

Similarly there will be some variation in board width, care should be taken and allowances made if working to tight tolerances.

Always follow manufacturers installation guide.

Note : Joist centres refer to residential applications only.

Note : Screw coverage is approximate only and will vary from deck to deck depending on configuration and joist spacings.

Important installation video's are available online at [www.austim.com.au](http://www.austim.com.au)



PRODUCT			SIZE MM	LENGTH	PRICE EA (INC GST)	INDICATIVE PRICE SQM (INC GST)
<b>I-SERIES DECKING</b>	<b>Grooved Board &amp; Solid Edge Board</b>		<b>135X25</b>	<b>5.4M</b>	<b>90.20</b>	<b>119.00</b>
(Colours available ; Tiger Cove, Caribbean Coral, Oasis Palm, Cape Town Grey, Spanish Saffron)						
Residential Joist Centres : 450mm						
<b>I-SERIES FASCIA</b>			<b>150X12</b>	<b>4.8M</b>	<b>85.80</b>	
(Colours available ; Tiger Cove, Caribbean Coral, Oasis Palm, Cape Town Grey, Spanish Saffron)						
<b>APEX PLUS DECKING</b>	<b>Grooved Board &amp; Solid Edge Board</b>		<b>190X24</b>	<b>5.4M</b>	<b>225.50</b>	<b>214.00</b>
(Colours available ; Alaskan Driftwood, Hawaii Walnut, Himalayan Cedar)						
Residential Joist Centres : 450mm						
<b>PIONEER DECKING</b>	<b>Grooved Board &amp; Solid Edge Board</b>		<b>145X21</b>	<b>5.4M</b>	<b>215.60</b>	<b>266.00</b>
(Colours available ; Spotted Gum, Blackbutt Oiled, Blackbutt Natural)						
Residential Joist Centres : 450mm						
<b>INFINITY SCREENING</b>			<b>70X16</b>	<b>5.4M</b>	<b>53.90</b>	
(Colours available ; Tiger Cove, Caribbean Coral, Oasis Palm, Cape Town Grey, Spanish Saffron)						
<b>Hulk Collated Chain Clip</b>	Timber and Metal Fix	Stainless Steel	<b>150PCS</b>	<b>6-9 SQM</b>	<b>128.70</b>	<b>16.00</b>
<b>Hulk Hand Tool for above</b>					<b>55.00</b>	
<b>Top Fix Screws : Grey, Brown, Teak, Beech, Antique</b>	Timber Fix 10G X 65mm	Stainless Steel 304	<b>100PCS</b>		<b>48.40</b>	
<b>VISTA CLAD TWO GROOVE</b>	162x24mm	(cover 152mm)		<b>5.4M</b>	<b>145.20</b>	<b>177.00</b>
(Colours available ; Carbonised Osage, Swedish Oak, Charred Cedar, Hawaiian Walnut)						
<b>Flat Clip Strip</b>	40x12mm			<b>1.83M</b>	<b>23.10</b>	
<b>Top Hat Clip Strip</b>	85x36mm			<b>2.75M</b>	<b>39.60</b>	
<b>Bugle Batten Screw (to suit fixing strips to timber)</b>	14gx50mm	Galv C4		<b>50 PCS</b>	<b>16.50</b>	
<b>Bugle Batten Screw (to suit fixing strips to timber)</b>	14gx50mm	Galv C4		<b>1000 PCS</b>	<b>163.90</b>	
<b>Trim - Top/Bottom/Closed Edge</b>				<b>5.8M</b>	<b>52.80</b>	
<b>Trim - External Corner</b>	49.5mm			<b>2.9M</b>	<b>37.40</b>	
<b>Trim - Internal Corner</b>	40.0mm			<b>2.9M</b>	<b>37.40</b>	
<b>Trim - T Profile Joiner</b>	40.0mm			<b>2.9M</b>	<b>22.00</b>	
<b>Trim - U Channel</b>				<b>2.9M</b>	<b>15.40</b>	
(Trim Colours available ; Black, Brown, Light Tan)						
<b>Bottom Cavity Closer</b>	50x50mm	Milled Raw Aluminium		<b>2.99M</b>	<b>49.50</b>	
<b>Nylon Adaptor - Suit Top &amp; Bottom Trim</b>				Pack of 10 pcs	<b>13.20</b>	
<b>Nylon Adaptor - Suit External Corner Trim</b>				Pack of 10 pcs	<b>18.70</b>	
<b>Nylon Adaptor - Suit Internal Corner Trim</b>				Pack of 10 pcs	<b>9.90</b>	
<b>Nylon Adaptor - Suit Closed Edge/U Channel/T Profile Trim</b>				Pack of 10 pcs	<b>13.20</b>	

**NOTES :**








Whilst EvaLast is a manufactured product variation in grain and colour should be expected. When installing it is recommended that boards be mixed up not just taken from the top of the bundle this is particularly important when more than one pack is being used on a job.


Similarly there will be some variation in board width, care should be taken and allowances made if working to tight tolerances.

Always fully read and follow manufacturers installation guides. [www.eva-last.net.au](http://www.eva-last.net.au)



Note : Joist centres refer to residential applications only.

Note : Clip coverage is approximate only and will vary from deck to deck depending on configuration and joist spacings.












Profile ID	Material	Description	Board width (mm)	Thickness (mm)	Mass (kg/m)	Cover width (mm)	Coverage (m/m <sup>2</sup> )	Coverage mass (kg/m <sup>2</sup> )
2 Groove	Apex		163.0	24.5	1.5	152.6	6.6	9.8

#### CLADDING CLIP STRIP

Item	Description	Width (mm)	Gauge (mm)	Depth (mm)	Ventilation gap (mm)	Length (mm)	Mass (kg/part)
Flat strip		40	1.2	12	0	1831	0.7
Top hat		86	1.2	36	25.4	2 745	3.2

#### TRIM AND ADAPTORS

Item	Description	Associated trim	Application	Description	Board Length Adjustment	Adaptor Edge distances *
Top and bottom adaptor		Universal trim	Bottom trim		N/A	70 mm from bottom of clip strip ledge
			Top Trim		N/A	50 mm from top of clip strip ledge
			Edge trim		35 mm	70 mm from centre of clip strip
Side adaptor		T-Trim	Butt join		15 mm	62.5 mm overlap at centre
			Butt join		N/A	70 mm from centre of clip strip
Internal corner adaptor		Internal corner trim	Internal corner		20 mm	50 mm from edge 40 mm from edge to fastener
External corner adaptor		External corner trim	External corner		20 mm	50 mm from edge 40 mm from edge to fastener

\*Edge distances do not include ground clearances or space for additional flashing

## MODWOOD DECKING

PRODUCT			SIZE MM	LENGTH	PRICE EA (INC GST)	INDICATIVE PRICE SQM (INC GST)
MODWOOD - NATURAL GRAIN R10	Grooved Edge		88X23	5.4M	71.50	142.00
MODWOOD - NATURAL GRAIN R11	Grooved Edge		137X23	5.4M	110.00	143.00
(Colours available ; Blackbean, Jarrah, Sahara, Silvergum) (450mm Joist Centres for Residential Uses)						
MODWOOD - EXTREME GUARD P5	Grooved Edge & Square Edge		137X23	5.4M	130.90	171.00
(Colours available ; Fire Brick, Golden Sand, Koko Brown, Magnetic Grey, Charwood) (450mm Joist Centres for Residential Uses)						
MODWOOD - FLAME SHIELD BAL40, R11			137X23	5.4M	135.30	176.00
(Colours available ; Blackbean, Jarrah, Sahara, Silvergum) (450mm Joist Centres for Residential Uses)						
MODWOOD - MARINA BOARD R11			137X32	4.2M	125.40	210.00
(Colours available ; Blackbean, Jarrah, Sahara, Silvergum) (600mm Joist Centres for Residential Uses)						
KLEVACLIP	Nylon		88MM	req 4.5 per sqm	5.39	24.00
KLEVACLIP	Stainless		88MM	req 4.5 per sqm	8.25	37.00
KLEVACLIP	Nylon		137MM	req 4.5 per sqm	5.39	24.00
KLEVACLIP	Stainless		137MM	req 4.5 per sqm	8.25	37.00
Top Fix Screw	305SS	Timber Joist		100 pcs	68.20	
Top Fix Screw	410SS	Metal Joist		100 pcs	75.90	
(for extreme guard colours)						

### NOTES :

Allow 5 working days leadtime.


Whilst Modwood is a manufactured product variation in grain and colour should be expected. When installing it is recommended that boards be mixed up not just taken from the top of the bundle this is particularly important when more than one pack is being used on a job.

Similarly there will be some variation in board width, care should be taken and allowances made if working to tight tolerances.

Always follow manufacturers installation guide.

Note : Joist centres refer to residential applications only.

Note : Clip coverage is approximate only and will vary from deck to deck depending on configuration and joist spacings.





## SCREENING OPTIONS

PRODUCT	FINISH	SIZE	LENGTH RANGE	PRICE LM (INC GST)
WESTERN RED CEDAR	SQUARE DRESSED, RAW	38X17	1.8 - 3.0M enquire	poa
WESTERN RED CEDAR	SQUARE DRESSED, RAW	65X17	1.8 - 3.0M enquire	poa
VULCAN	BANDSAWN, RAW	42X18	Set length to 6.0M	10.89
VULCAN	BANDSAWN, RAW	65X18	Set length to 6.0M	14.85
VULCAN	BANDSAWN, RAW	88X18	Set length to 6.0M	17.49
VULCAN	BANDSAWN, RAW	42X32	Set length to 6.0M	14.74
VULCAN	BANDSAWN, RAW	65X32	Set length to 6.0M	20.79
VULCAN	BANDSAWN, RAW	88X32	Set length to 6.0M	25.96
			(subject to availability)	
INFINITY EVALAST SCREENING	Tiger Cove, Caribbean Coral, Oasis Palm, Cape Town Grey, Spanish Saffron	70X16	5.4M	9.98
MERBAU SOLID SELECT	DRESSED PENCIL ROUND, RAW	42X19	2.4, 3.0 & 3.6M	5.28
MERBAU SOLID SELECT	DRESSED PENCIL ROUND, RAW	42X32	2.4, 3.0 & 3.6M	8.80
MERBAU SOLID SELECT	DRESSED PENCIL ROUND, RAW	70X32	2.4, 3.0 & 3.6M	15.40
MERBAU SOLID SELECT	DRESSED PENCIL ROUND, RAW	90X32	2.4, 3.0 & 3.6M	20.35
MERBAU SOLID SELECT	DRESSED PENCIL ROUND, RAW	42X42	3.6M	11.55
MERBAU SOLID SELECT	DRESSED PENCIL ROUND, RAW	70X42	3.6M	20.35
MERBAU SOLID SELECT	DRESSED PENCIL ROUND, RAW	90X42	3.6M	26.62
SPOTTED GUM	DRESSED PENCIL ROUND, RAW	40X30	2.4, 3.0 & 3.6M	16.50
IRONASH H3 FJ	DRESSED PENCIL ROUND, RAW	65X19	2.7M & 5.4M	11.55
IRONASH H3 FJ	DRESSED PENCIL ROUND, RAW	42x32	2.7M & 5.4M	12.10
IRONASH H3 FJ	DRESSED PENCIL ROUND, RAW	65x32	2.7M & 5.4M	16.50
IRONASH H3 FJ	DRESSED PENCIL ROUND, RAW	90x32	2.7M & 5.4M	22.00
VIC ASH FJ SELECT - DISCONTINUED	SQUARE DRESSED, RAW	42x32	2.7M & 5.4M	11.66
VIC ASH FJ SELECT - DISCONTINUED	SQUARE DRESSED, RAW	90x32	2.7M & 5.4M	23.43
PINE H3 LOSP	PENCIL ROUND, PRE-PRIMED	42x18	5.4M	4.07
PINE H3 LOSP	PENCIL ROUND, PRE-PRIMED	66x18	5.4M	5.72
PINE H3 LOSP	PENCIL ROUND, PRE-PRIMED	90x18	5.4M	7.70
PINE H3 LOSP	PENCIL ROUND, PRE-PRIMED	66x30	5.4M	9.35

### NOTES :

For pricing on other solid hardwoods such as American Oak please contact us with your requirements  
 Vulcan can be ordered with a dressed finish, sizing will be less 2mm approx

## TREATED PINE

PRODUCT	GRADE	FINISH	SIZE	LENGTH RANGE	PRICE LM (INC GST)
TREATED PINE	H3	DRESSED	42X35	4.8	6.60
TREATED PINE	H3 F7 STRUCTURAL	DRESSED	70X35	3.6, 4.2, 4.8, 6.0	6.60
TREATED PINE	H3 F7 STRUCTURAL	DRESSED	90X35	3.6, 4.8, 6.0	7.92
TREATED PINE	H3 F7 STRUCTURAL	DRESSED	120X35	4.8, 6.0	10.45
TREATED PINE	H3 F7 STRUCTURAL	DRESSED	140X35	6.0	13.20
TREATED PINE	H3 F7 STRUCTURAL	DRESSED	190X35	6.0	18.15
TREATED PINE	H3 F7 STRUCTURAL	DRESSED	70X45	3.6, 4.8, 6.0	8.03
TREATED PINE	H3 F7 STRUCTURAL	DRESSED	90X45	3.6, 4.2, 4.8, 5.4, 6.0	9.68
TREATED PINE	H3 F7 STRUCTURAL	DRESSED	120X45	3.6, 4.2, 4.8, 5.4, 6.0	14.08
TREATED PINE	H3 F7 STRUCTURAL	DRESSED	140X45	3.6, 4.8, 6.0	16.39
TREATED PINE	H3 F7 STRUCTURAL	DRESSED	190X45	3.6, 4.8, 6.0	22.00
TREATED PINE	H3 F7 STRUCTURAL	DRESSED	240X45	3.6, 4.8, 6.0	32.45
TREATED PINE	H3 F7 STRUCTURAL	DRESSED	290X45	6.0	43.78
TREATED PINE	POSTS SOLID H4 CCA	DRESSED	90X90	2.4, 3.0, 3.6	32.45
TREATED PINE	POSTS H4 LAMINATED GL8	DRESSED	88X88	2.4, 3.0, 3.6	34.10
TREATED PINE	POSTS H4 LAMINATED GL8	DRESSED	112X112	2.4, 3.0, 3.6	60.50
TREATED PINE	POSTS H4 LAMINATED GL8	DRESSED	135X135	2.4, 3.0, 3.6	96.80

### NOTES :

H3 pine framing is either F7 or MGP10, please advise if you have a particular requirement

H3 pine framing is green and a mix of LOSP and occasionally CCA Treated.

Treatment methods are identified with a label or printed on each board.

Be aware colour strength of green treatment will vary from piece to piece.


Be aware CCA treated timber use is restricted in certain applications.

## PRIMED - TREATED PINE

PRODUCT	CODE	GRADE	FINISH	SIZE	LENGTH RANGE	PRICE LM (INC GST)
PINE H3 LOSP	PRSD4211	SQUARE DRESSED	PRIMED	42X11	5.4	3.85
PINE H3 LOSP	PRSD4218	PENCIL ROUND DRESSED	PRIMED	42X18	5.4	4.07
PINE H3 LOSP	PRSD6618	PENCIL ROUND DRESSED	PRIMED	66X18	5.4	5.72
PINE H3 LOSP	PRSD9018	PENCIL ROUND DRESSED	PRIMED	90X18	5.4	7.70
PINE H3 LOSP	PRSD13818	PENCIL ROUND DRESSED	PRIMED	138X18	5.4	11.00
PINE H3 LOSP	PRSD18518	PENCIL ROUND DRESSED	PRIMED	185X18 *	5.4	18.70
PINE H3 LOSP	PRS3131	SCOTIA	PRIMED	31X31	5.4	4.95
PINE H3 LOSP	PRQ1818	QUAD	PRIMED	18X18	5.4	3.19
PINE H3 LOSP	PRBL4242	SQUARE BALLUSTER	PRIMED	42X42	5.4	7.70
PINE H3 LOSP	PRBR6642	BOTTOM RAIL	PRIMED	66X42	5.4	12.98
PINE H3 LOSP	PRHR8842	HANDRAIL - SQUARE	PRIMED	88X42	5.4	17.60
PINE H3 LOSP	PRHRLW8842	HANDRAIL - LADIES WAIST	PRIMED	88X42	5.4	17.60
PINE H3 LOSP	PRDJ11231	DOOR JAMB	PRIMED	112X31	5.2	16.50
PINE H3 LOSP	PRF76630	F7 STRUCTURAL	PRIMED	66X30	5.4	9.35
PINE H3 LOSP	PRF76642	F7 STRUCTURAL	PRIMED	66X42	5.4	12.65
PINE H3 LOSP	PRF79042	F7 STRUCTURAL	PRIMED	90X42	5.4	15.95
PINE H3 LOSP	PRF713842	F7 STRUCTURAL	PRIMED	138X42	5.4	24.20
PINE H3 LOSP	PRF718542	F7 STRUCTURAL	PRIMED	185X42	5.4	31.90
PINE H3 LOSP	PRF723042	F7 STRUCTURAL	PRIMED	230X42	5.4	42.90
PINE H3 LOSP	PRGL18065	GL10 STRUCTURAL	PRIMED	180X65	5.4, 6.0, 7.2	60.50
PINE H3 LOSP	PRGL24065	GL10 STRUCTURAL	PRIMED	240X65	4.8, 6.0, 7.2	78.10
PINE H3 LOSP	PRGL28065	GL10 STRUCTURAL	PRIMED	280X65	4.8, 6.0, 7.2	96.80
PINE H3 LOSP	PRGL32065	GL10 STRUCTURAL	PRIMED	320X65 *	6.0, 7.2	137.50
TREATED PINE H4	H4GL88888	POSTS H4 LAMINATED GL8	RAW	88X88	2.4, 3.0, 3.6	34.10
TREATED PINE H4	H4GL8112112	POSTS H4 LAMINATED GL8	RAW	112X112	2.4, 3.0, 3.6	60.50
TREATED PINE H4	H4GL8135135	POSTS H4 LAMINATED GL8	RAW	135X135	2.4, 3.0, 3.6	96.80
PINE H3 LOSP	H3BARGE19030	BARGE BOARD	PRIMED	190X30	3.6, 6.0	19.80
PINE H3 LOSP	H3BARGE23030	BARGE BOARD	PRIMED	230X30 *	6.0	34.10
PINE H3 LOSP	DP30213211	302 LINING	PRIMED	132X11	5.4	9.24
PINE H3 LOSP	DPSSLAP12418	SHIPLAP CLADDING	PRIMED	124X18	5.4	10.56

### NOTES :

\* These items not stocked, allow 5 days from order.



Bottom Rail





# VULCAN PROFILES

SIZE	PRICE LM (INC GST)		SIZE	PRICE LM (INC GST)
<b>Finished as fine bandsawn, arrised</b>			<b>Finished as fine bandsawn, arrised</b>	
42x18	10.89		42x42	18.37
65x18	14.85		65x42	25.96
88x18	17.49		88x42	33.11
138x18	27.50		138x42	66.77
180x18	35.64		180x42	86.13
200x18	40.04		200x42	100.98
230x18	44.55		230x42	112.86
290x18^	59.40		290x42^	145.53
42x25	12.65		88x65	77.77
65x25	17.05		138x65	96.47
88x25	20.68		180x65	124.74
138x25	30.80		200x65	143.99
180x25	41.80		230x65	163.35
200x25	50.60		290x65^	201.96
230x25	60.50			
290x25^	77.00		88x88	95.70
			180x88	170.50
			290x88^	236.50
32x32	12.32			
42x32	14.74		138x138^	173.80
65x32	20.79		180x138^	242.00
88x32	25.96		200x138^	259.60
138x32	54.89		230x138^	280.50
180x32	69.74		290x138^	346.50
200x32	84.59			
230x32	90.53		180x180^	280.50
290x32^	111.32		290x180^	456.50

<b>CLADDING</b>			PRICE LM (INC GST)	PRICE SQM (INCL GST)
VULCAN WB10 CLADDING (bandsawn face, raw)	145X20	(cover 125mm)	24.42	195.36
VULCAN WB10 CLADDING (bandsawn face, raw)	180X20	(cover 160mm)	33.11	206.94
VULCAN WB12 CLADDING (bandsawn face, raw)	138X20	(cover 118mm)	23.65	200.42
VULCAN WB12 CLADDING (bandsawn face, raw)	180X20	(cover 160mm)	32.12	213.81
<b>MACHINING OPTIONS : (note jobs below 300 LM attract \$150+gst machine setup fee)</b>				
Smooth Face			1.65	
Brushed Face			2.20	
XS-30 or XS-50 Smooth Face			1.65	
XS-30 or XS-50 Bandsawn Face			1.65	
XS-30 or XS-50 Brushed Face			3.85	
<b>COATING OPTIONS : (note jobs below 300 LM attract \$150+gst coating setup fee)</b>				
Factory Coating Protector Oil x 1 coat	145X20	(cover 125mm)	1.98	
Factory Coating Protector Oil x 1 coat	180X20	(cover 160mm)	2.31	
Factory Coating Sioo:X system	145X20	(cover 125mm)	7.70	
Factory Coating Sioo:X system	180X20	(cover 160mm)	9.90	

<b>LINING BOARDS</b>			PRICE LM (INC GST)	PRICE SQM (INCL GST)
VULCAN TG9 LINING (smooth or bandsawn face, raw)	140X10	(cover 135mm)	19.58	145.04
Factory Coating available use LM rates 145X20 as per above				
TMT VJ LINING (smooth face, raw, untreated)	85X10	(cover 80mm)	8.80	110.00
VULCAN ECHO LINING (smooth face, raw)	170X26	(cover 156mm)	60.50	387.82

<b>ACCESSORIES</b>			PRICE LM (INC GST)	
Vulcan internal corner	22X22		13.75	
Vulcan external corner	42X42		44.00	
Aluminium Y profile 3.6m			29.70	
Aluminium F profile 3.6m			16.50	
Cladding Screw 304SS 45x4mm (Torx Head Black)	100PCS		16.72	

## NOTES :

Thermally Modified and H3 LOSP Treated, battens, fins and screening generally have arrised edges  
 Square Dressed finished sizes will be 1-2mm smaller  
 Factory Coating will only be applied to bandsawn or brushed finishes.  
 Availability of specific sizes and lengths cannot be guaranteed.  
 Typical 145mm Cladding will require approx 30 screws per sqm  
 Externally we strongly recommend a fine bandsawn finish , internally either bandsawn or smooth/dressed is acceptable  
 Fins and Beams meet GL8 structural rating.  
 Factory coating of fins and battens poa.  
 ^ Can also be dressed smooth finish but for internal use only, additional charges will apply poa.



## CLADDING & LINING

SPECIE	PROFILE	SIZE		PRICE LM (INC GST)	PRICE SQM (INC GST)
GLACIAL OAK LINING (smooth face, raw)	V-Joint	110X12 (110mm cover)	X	17.05	155.00
GLACIAL OAK LINING (smooth face, raw)	Shiplap	110X12 (110mm cover)	X	17.05	155.00
GLACIAL OAK LINING (smooth face, raw)	Castellation 2-Rib	81X19 (81mm cover)	X	17.05	210.49
GLACIAL OAK LINING (smooth face, raw)	Castellation 3-Rib	81X19 (81mm cover)	X	17.05	210.49
IRONASH H3 CLADDING (smooth face, raw)	Shadowline	105x19 (105mm cover)	X	17.60	167.62
VICTORIAN ASH LINING SELECT (smooth face, raw)	V-Joint	110X12 (110mm cover)	X	15.40	140.00
PINE LINING PRE-PRIMED & H3 LOSP	V-Joint	132X11 (132mm cover)	X	9.24	70.00
PINE SHIPLAP CLADDING PRE-PRIMED & H3 LOSP	Shadowline	124X18 (124mm cover)	X	10.56	85.16
WESTERN RED CEDAR CLADDING (smooth face, raw)	Shadowline	140X18 (120mm cover)		poa	
WESTERN RED CEDAR CLADDING (smooth face, raw)	Bevel	185X16 (160mm cover)	X	16.72	104.50
WESTERN RED CEDAR LINING (smooth face, raw)	V-Joint	86X9 (86mm cover)	X	14.85	172.67
VULCAN WB10 CLADDING H3 (bandsawn, raw)	Shadowline	145X20 (125mm cover)	X	24.42	195.36
VULCAN WB12 CLADDING H3 (bandsawn, raw)	Shadowline	138X20 (118mm cover)		23.65	200.42
VULCAN TG9 LINING H3 (bandsawn, raw)	V-Joint	140X10 (135mm cover)		23.76	176.00
VULCAN TMT LINING (smooth, raw)	V-Joint	85X10 (80mm cover)	X	8.80	110.00
MERBAU CLADDING (smooth face, raw)	Shadowline	138X19 (118mm cover)	X	18.65	158.01
JARRAH CLADDING (smooth face, raw)	Shadowline	138X19 (118mm cover)		23.10	195.76
NEW SPOTTED GUM CLADDING (smooth face, raw)	Shadowline	140X18 (120mm cover)	X	24.20	201.67
NEW SPOTTED GUM LINING (smooth face, raw)	V-Joint	85X12 (size subject to change)		poa	
ALUMINIUM Y PROFILE 3.6M LENGTHS ONLY	External Corner		LM	29.70	
ALUMINIUM F PROFILE 3.6M LENGTHS ONLY	Bottom Detail		LM	16.50	

### NOTES :

All cladding requires square end docking on site unless otherwise indicated.

Cladding pricing is based on 40sqm quantity, lesser quantities may attract a \$150 surcharge to cover machine set-up.

X denotes no minimum quantity surcharge.

Cladding priced in sqm, profiles priced per lm.

Pricing for other sizes available upon request.

Pre-Oiling in Cutek, Protector Oil or Intergrain Uni Oil approx \$15/sqm + gst

Jobs below 40 sqm attract a \$150 + gst coating machine setup fee

Typical 120-125mm Cladding will require approx 30 screws per sqm

## LVL & i-JOIST TREATED JOB LOTS

PRODUCT	GRADE	SIZE	LENGTH RANGE	PRICE LM (INC GST)
LVL - H2S	BEAM	130X35	0.9-12.6	14.30
LVL - H2S	BEAM	150X35	0.9-12.6	16.50
LVL - H2S	BEAM	200X35	0.9-12.6	22.00
LVL - H2S	BEAM	150X45	0.9-12.6	20.90
LVL - H2S	BEAM	200X45	0.9-12.6	28.60
LVL - H2S	BEAM	240X45	0.9-12.6	34.10
LVL - H2S	BEAM	300X45	0.9-12.6	42.90
LVL - H2S	BEAM	360X45	0.9-12.6	51.70
LVL - H2S	BEAM	400X45	0.9-12.6	57.20
LVL - H2S	BEAM	150X63	0.9-12.6	29.70
LVL - H2S	BEAM	200X63	0.9-12.6	39.60
LVL - H2S	BEAM	240X63	0.9-12.6	47.30
LVL - H2S	BEAM	300X63	0.9-12.6	59.40
LVL - H2S	BEAM	360X63	0.9-12.6	70.40
LVL - H2S	BEAM	400X63	0.9-12.6	79.20
LVL - H2S	BEAM	300X75	0.9-12.6	68.20
LVL - H2S	BEAM	400X75	0.9-12.6	85.80
LVL - H2S	E-STRUT	65X63 mim qty may apply	4.5	11.00
LVL - H2S	E-PURLIN	96X51 mim qty may apply	3.6, 4.2, 4.8, 5.4, 6.0, 6.6, 7.2	13.20

### NOTES :

Non-Stock item allow approx 3 days leadtime

These products are typically tinted blue in colour to denote H2S treatment

Manufactured locally in WA.

Engineered Beams conform with AS/NZS 4357 Structural Laminated

Austim are able to deliver beams up to 9.0m only. Enquire about longer length transport options.

Generally available in 300mm increments

Most H2S beam sizes are also available in H3 treatment (max 7.2m length) , add 30% to H2 pricing

## KAPUR PRODUCTS

PRODUCT	FINISH	SIZE	LENGTH RANGE	PRICE LM (INC GST)
BEAM	DRESSED	198X60	6.0, 6.6, 7.2	82.28
BEAM	DRESSED	264X60	6.0, 6.6, 7.2	108.90
BEAM	DRESSED	297X60	6.0, 6.6, 7.2	123.42
BEAM	DRESSED	330X60	6.0, 6.6, 7.2	133.10
BEAM	DRESSED	264X80	6.0, 6.6, 7.2	140.36
BEAM	DRESSED	297X80	6.0, 6.6, 7.2	159.72

### NOTES :

Span Tables available upon request.

**Kapur beams are not held in stock but brought in to order, leadtimes may be 4-5 days.**

## BUSH POLES

PRODUCT	FINISH	APPROX BASE DIAMETER	LENGTH RANGE	PRICE LM (INC GST)
GREEN JARRAH	DE-BARKED	150-200MM	1.2 to 9.0M	93.50
GREEN JARRAH	DE-BARKED	200-250MM	1.2 to 9.0M	104.50
GREEN JARRAH	DE-BARKED	250-300MM	1.2 to 9.0M	110.00
GREEN JARRAH	DE-BARKED	300-350MM	1.2 to 9.0M	176.00
GREEN JARRAH	DE-BARKED	400-500MM	1.2 to 9.0M	247.50
RECYCLED IRONBARK/TALLOWWOOD	HAND BRUSHED	200-300MM	3.6M	214.50

From base diameter to tip diameter expect a size variation .

Jarraah Bush Poles are not held in stock, ALL ORDERS will incur a \$150+GST freight collection charge

All sizes are indicative only, there will be some over/under

Ask our sales team to explain what to expect from the Jarraah Bushpoles, they are not a high grade product.

Ironbark/Tallowwood 3.6m are stocked, other lengths available to order ex-east but significant leadtimes will apply

For further details please visit [www.austim.com.au/bush-poles-1](http://www.austim.com.au/bush-poles-1)

## SPECIALTY TIMBER COATINGS

PRODUCT			SIZE	PRICE EA (INC GST)
CUTEK CD-50 EXTREME	CLEAR		5LTR	213.40
CUTEK CD-50 EXTREME	CLEAR		10LTR	352.00
COLOUR TINT'S			Suit 5LTR	23.10
RESTORE (formerly proclean)			2.5LTR	64.90
QUICKCLEAN			2.5LTR	64.90
WOOD STRIPPER (formerly CD33)			2.5LTR	64.90
INTERGRAIN NATURES TIMBER OIL	NATURAL		4LTR	143.00
INTERGRAIN NATURES TIMBER OIL	NATURAL		10LTR	313.50
INTERGRAIN ULTRADECK TIMBER OIL	NATURAL		4LTR	143.00
INTERGRAIN ULTRADECK TIMBER OIL	NATURAL		10LTR	313.50
INTERGRAIN CHARRED BLACK TIMBER STAIN			10LTR	319.00
INTERGRAIN CHARRED BLACK TIMBER STAIN			4LTR	159.50
INTERGRAIN UNIVERSAL OIL			1LTR	50.60
INTERGRAIN UNIVERSAL OIL			5LTR	192.50
INTERGRAIN UNIVERSAL OIL			10LTR	328.90
INTERGRAIN UNIVERSAL COLOUR ADDITIVES			Suit 5LTR	17.60
INTERGRAIN ULTRAPREP TANNIN & OIL REMOVER			1LTR	28.60
INTERGRAIN ULTRAPREP TANNIN & OIL REMOVER			4LTR	74.80
INTERGRAIN ULTRAPREP CLEANER (Reviva)			1LTR	30.80
INTERGRAIN ULTRAPREP CLEANER (Reviva)			4LTR	79.20
PROTECTOR OIL - <u>WATER BASED</u> (Natural, Walnut, Teak, Graphite, Patina, Straw )			4LTR	192.50
PROTECTOR OIL - <u>WATER BASED</u> (Natural, Walnut, Teak, Graphite, Patina, Straw )			10LTR	352.00
SiOO:X LIGHT GREY - WOOD PROTECTOR (PART 1), SURFACE PROTECTOR (PART 2)			4LTR	302.50
SiOO:X PRE WASH CONCENTRATE			1LTR	44.00
SiOO:X MAINTENACE WASH CONCENTRATE			1LTR	44.00
CROMMELIN WATERPROOFING FOR POSTS 1L				27.50
TEKNOSEAL 4000 - END GRAIN SEALER			750ml	71.50
LONG HANDLE DECK BRUSH				47.30

### NOTES :


For detailed application information please visit the manufacturers websites.



## CONCRETE, STIRRUPS & OTHER

PRODUCT		FINISH	SIZE	LENGTH	PRICE EA (INC GST)
KWIK SET CONCRETE			20 kg		8.42
GENERAL PURPOSE CONCRETE MIX			20 kg		8.42
DS200 L-SHAPED DECK HALF STIRRUP	SUIT 90X45mm BEARER	GALVANISED	40X75	200mm	10.07
DS300 L-SHAPED DECK HALF STIRRUP	SUIT 90X45mm BEARER	GALVANISED	40X75	300mm	10.78
MSL90200 L-SHAPED STIRRUP	SUIT 90-115mm POST/BEARER	GALVANISED	90X75	200mm	10.23
MSL90300 L-SHAPED STIRRUP	SUIT 90-115mm POST/BEARER	GALVANISED	90X75	300mm	11.22
MSL90450 L-SHAPED STIRRUP	SUIT 90-115mm POST/BEARER	GALVANISED	90X75	450mm	12.98
MSBPP PIN STIRRUP	SUIT BUSH POLE	GALVANISED		300mm	43.89
MST90300 BLADE STIRRUP	SUIT 90-100mm POST	GALVANISED		300mm	10.73
MS30L BLADE STIRRUP	SUIT 112-120mm POST	GALVANISED		300mm	31.35
MSBPB BLADE STIRRUP	SUIT 130-150mm POST	GALVANISED		300mm	43.89
MS7 U-SHAPED STIRRUP	SUIT 120mm POST	GALVANISED		300mm	31.35
MS8 L-SHAPED STIRRUP	SUIT 120mm POST	GALVANISED		300mm	26.40
JOIST TAPE		BLACK	50mm	20M	27.50
JOIST TAPE		BLACK	100mm	20M	49.50
TRIPLE GRIP LEFT	TG0557				1.32
TRIPLE GRIP RIGHT	TG0558				1.32
JOIST HANGER	JH935		90X35		2.64
JOIST HANGER	JH945		90X45		2.64
JOIST HANGER	JH1235		120X35		3.08
JOIST HANGER	JH1245		120X45		3.08
RAFTER STRAP	RS2	3/8" BOLT	375MM		10.45
FASCIA SUPPORT BRACKET	FSB4T	22°	650MM		21.45

NOTES :



## FIXINGS

PRODUCT	CODE		SIZE	QUANTITY	PRICE (INC GST)
BLACKHAWK DECKING SCREW 304 STAINLESS	BH103SS10G50	TORX HEAD	10G X 50MM	500 PC/BOX	74.80
BLACKHAWK DECKING SCREW 304 STAINLESS	BH105SS10G65	TORX HEAD	10G X 65MM	500 PC/BOX	85.80
CLADDING SCREW 304 STAINLESS	CS4MM45	TORX HEAD (BLACK)	4MM X 45MM	100 PC/BOX	16.72
DECKFAST TRIM HEAD 304 STAINLESS		TORX HEAD	10G X 50MM	500 PC/BOX	148.50
DECKFAST FLAT HEAD 304 STAINLESS		TORX HEAD	10G X 50MM	500 PC/BOX	148.50
DECKFAST FLAT HEAD 304 STAINLESS		TORX HEAD	10G X 65MM	400 PC/BOX	148.50
BUGLE BATTEN SCREW GALV CLASS 4	17GBR14075	HEX DRIVE 5MM	14G X 75MM	25 PC/PACK	18.70
BUGLE BATTEN SCREW GALV CLASS 4	17GBC14075	HEX DRIVE 5MM	14G X 75MM	500 PC/BOX	122.41
BUGLE BATTEN SCREW GALV CLASS 4	17GBR14100	HEX DRIVE 5MM	14G X 100MM	50 PC/PACK	27.50
BUGLE BATTEN SCREW GALV CLASS 4	17GBC140100	HEX DRIVE 5MM	14G X 100MM	500 PC/BOX	149.48
HEX DRIVE BIT 5MM	47HE5		50MM	1 PCE	4.40
PRE-DRILL & COUNTERSINK TOOL					33.00
1.0M X 25MM WHITE	TIE DOWN STRAP				9.35
1.5M X 25MM YELLOW	TIE DOWN STRAP				9.90
2.0M X 25MM BLUE	TIE DOWN STRAP				11.00
2.5M X 25MM RED	TIE DOWN STRAP				12.10
3.5M X 25MM BLACK	TIE DOWN STRAP				13.20

### NOTES :

Approx 50 screws per sqm for 90mm wide decking

Approx 30 screws per sqm for 140mm wide decking

## FIXINGS

PRODUCT	CODE		SIZE	QUANTITY	PRICE (INC GST)
FRAME ANCHOR GALVANISED	L16GFH10080		10 X 80MM	INDIVIDUAL	2.09
FRAME ANCHOR GALVANISED	16GFH10080		10 X 80MM	50 PC/BOX	87.10
FRAME ANCHOR GALVANISED	L16GFH10100		10 X 100MM	INDIVIDUAL	2.31
FRAME ANCHOR GALVANISED	16GFH10100		10 X 100MM	50 PC/BOX	95.93
FRAME ANCHOR GALVANISED	L16GFH10120		10 X 120MM	INDIVIDUAL	2.88
FRAME ANCHOR GALVANISED	16GFH10120		10 X 120MM	50 PC/BOX	125.94
FRAME ANCHOR GALVANISED	L16GFH10140		10 X 140MM	INDIVIDUAL	3.16
FRAME ANCHOR GALVANISED	16GFH10140		10 X 140MM	50 PC/BOX	131.82
CUP HEAD BOLT & NUT GALVANISED	LCH10120		10 X 120MM	INDIVIDUAL	1.77
CUP HEAD BOLT & NUT GALVANISED	CH10120		10 X 120MM	50 PC/BOX	67.09
CUP HEAD BOLT & NUT GALVANISED	LCH10140		10 X 140MM	INDIVIDUAL	1.98
CUP HEAD BOLT & NUT GALVANISED	CH10140		10 X 140MM	50 PC/BOX	75.33
FLAT WASHER GALVANISED	LWASHERM10		SUIT M10	INDIVIDUAL	0.30
GALV COACH SCREWS			10 X 50MM	INDIVIDUAL	0.83
GALV COACH SCREWS			10 X 50MM	50 PC/BOX	30.60
CLOUDS GALVANISED	NAILGC302500G	30MM X 2.8MM	2.5KG		39.60
CLOUDS GALVANISED	NAILGC30500G	30MM X 2.8MM	500G		11.00

NOTES :



# STAIR TREADS

	Pricing is per Lineal Metre inc <u>GST</u>
--	--

Victorian Ash	All Square Edged		

	285x33	285x43	
Laminated (held in stock)	\$102.63	\$149.82	

Laminated

Glacial Oak	All Square Edged		

	285x33	285x43	
Laminated (held in stock)	\$93.50	\$121.00	

Laminated (may be finger jointed)

	290x68		
Laminated (1.2m held in stock)	\$216.04		

Laminated

Merbau	Pencil Round Edges		

		290x42	
Laminated (held in stock)		\$96.80	

Laminated, Pencil round edges

		290x45	
Solid (held in stock)		\$103.40	

Solid - Pencil Round Edges  
(Suitable for fully exposed situations)

		290x80	
Laminated (held in stock)		\$193.60	

Laminated, Pencil round edges

		330x65	
Laminated (held in stock)		\$190.30	

Laminated, Pencil round edges

		330x80	
Laminated (held in stock)		\$231.00	

Laminated, Pencil round edges

## Notes

Please call to discuss lengths available and lead times for production

Provided slightly over-length to allow final cutting on-site

Will require a final sanding on-site

Not suitable for exposed situations unless specifically noted		
Timber is a natural product variation in colour and grain is to be expected		
Treads should be well sealed all round as soon as practicable		
Some minor laminate separation may occur particularly at the ends of the treads		
this is not considered a defect unless the structural integrity of the tread is impacted.		
Laminate configuration may vary to that indicated		

## RECYCLED TIMBERS

We have supply agreements with an established leader in recycled hardwood processing, together we are committed to supporting environmentally responsible building options. Giving us access to some of the most beautiful and the best hardwoods in the world.

These recycled timbers typically come large buildings such as old wool stores, army barracks and wharves. These sites provide a range of hardwood species and sizes that are not readily available in new timber.

**Some of the advantages of using our recycled products include:**

- Availability of large sizes and long lengths
- Accurate dimensions - square and straight if that is desired
- Environmentally responsible
- Variety of surface finishes
- Very high strength ratings

A comprehensive price list is not available because generally every job is a custom size, finish or grade but below is a selection of recycled material that we attempt to keep in stock. So please call us to discuss your specific requirements.

			Price LM Excl GST	Price Incl GST
Class 1 Durable <u>Poles</u>	200-300mm Dia	3.6m lengths	195.00	214.50
Handbrushed Finish	RCDC1UTPOLE250			
Jarrah As Is (has been de-nailed))	120x95mm	Enquire	12.20	13.42
Dressed 2nd Grade	85x85mm		25.50	28.05
Dressed 1st Grade	85x85mm		34.80	38.28
Jarrah As Is	170x100mm	Enquire	15.00	16.50

NOTES :

## VALUE ADDING SERVICES

Austim employ a full-time timber machinist and operate a number of machines to re-manufacture and add value to our timber products and at the same time providing our customers with a better more valuable product specific to their application.

**Note we will only machine our own timbers, we are not a custom machining shop.**

Machinery list :

6 Head Moulder  
4 Sider Planner  
Robinson Bandsaw  
Buzzer  
Thicknesser  
Spindle Moulder  
Rip Saw  
Coating Applicator  
Wire Brusher  
Flat Bed Sander

Please call our sales team and discuss your particular requirements.

NOTES :

## IMPORTANT INFORMATION

### General

Please note **pricing may change without notice**, please confirm pricing when quoting and placing orders.  
All products and prices offered are subject to availability of stock, please ask for confirmation of availability when quoting or placing order.  
Timber is a natural product with variation in appearance from piece to piece being the norm, any samples provided are an indication only of the final product.

Austim do not accept cash on delivery, non account sales will require full payment prior to delivery.  
Austim can accept payment by credit card in person, online or over the phone (Visa & Mastercard only)

Any claims in relation to goods supplied must be made with 7 days of delivery.  
a 15% re-stocking fee (subject to a minimum fee of \$25) will be applied to all returns except valid and agreed claims.  
All sales are subject to our Terms and Conditions of Sale, available to view on our website [www.austim.com.au](http://www.austim.com.au)

### Hints for Ordering Timber

Have a cutting list ready of your finished sizes and lengths as we may need to offer an alternative if we do not have your first choice.  
We endeavour to keep a good selection of sizes and lengths in our racks however we may have to break open a pack to fulfill your order, this may require extra time.  
If you need to colour match for a job or to veneers we must ask that you come in and select the material yourself.

### Delivery

Customers are welcome to pick up from our huge yard or send their own truck or courier.  
Site delivery see next page.  
Maximum length delivery with our truck is 9.0M  
Longer lengths can be quoted and delivered by arrangement.  
  
Our truck may refuse to unload if the driver deems there to be a safety issue or the potential for property damage in which case he may ask the customer to sign a potential damage waiver.

### Ex-Yard Pick Ups

We encourage pick-ups but please make sure your vehicle is adequate for the job.  
Consider length and projecting loads, weight capacities of roof racks etc.  
We may refuse to load if we consider to do so would contravene the Road Traffic Code 2000.  
If unsure please consult the Road Traffic Guidelines.

NOTES :

## SITE DELIVERY

Within the following suburb boundaries around central Perth  
our standard residential site delivery charge is **\$132.00 incl gst**

Alkimos - The Vines - Midland - Maida Vale -  
Kelmscott - Armadale - Aubin Grove - Wattleup

Other outer suburbs we can deliver to (incl gst)

Baldivis	\$192.50	Mt Helena	\$253.00
Bedfordale	\$253.00	Mundaring	\$253.00
Bullsbrook	\$253.00	Northam	\$484.00
Byford	\$253.00	Parkerville	\$253.00
Chidlow	\$363.00	Pickering Brook	\$253.00
Dawesville	\$363.00	Pt Kennedy	\$192.50
Eglington	\$192.50	Rockingham	\$192.50
Gidgegannup	\$253.00	Roleystone	\$192.50
Goosberry Hill	\$192.50	Sawyers Valley	\$253.00
Kalamunda	\$192.50	Secret Harbour	\$253.00
Kwinana	\$192.50	Serpentine	\$357.50
Lakelands	\$253.00	Toodyay	\$456.50
Lesmurdie	\$192.50	Two Rocks	\$192.50
Mandurah	\$253.00	Yanchep	\$192.50

### Notes :

- Other outer suburbs not listed please enquire
- Most areas delivered to at least weekly
- Delivery times can be indicated but not guaranteed
- **Verge drop only unless driver deems it safe and possible to drop elsewhere**
- **Commercial building site & CBD deliveries poa**